Nmap scan report:

"Host is up, received echo-reply ttl 87 (0.25s latency).

Not shown: 998 filtered tcp ports (no-response)

PORT   STATE SERVICE   REASON   VERSION

80/tcp open http   syn-ack ttl 49

|_http-title: Did not follow redirect to https://www.hoyoverse.com/

| fingerprint-strings:

| FourOhFourRequest:

| HTTP/1.1 503 Service Temporarily Unavailable

| Date: Mon, 02 Feb 2026 12:03:37 GMT

| Content-Type: text/html

| Content-Length: 204

| Connection: close

| Via: HTTP/1.0 SLB.44

| <html>

| <head><title>503 Service Temporarily Unavailable</title></head>

| <body bgcolor="white">

| <h1>503 Service Temporarily Unavailable</h1>

| <hr> alb

| </body>

| </html>

| GetRequest:

| HTTP/1.1 503 Service Temporarily Unavailable

| Date: Mon, 02 Feb 2026 12:03:35 GMT

| Content-Type: text/html

| Content-Length: 204

| Connection: close

| Via: HTTP/1.0 SLB.65

| <html>

| <head><title>503 Service Temporarily Unavailable</title></head>

| <body bgcolor="white">

| <h1>503 Service Temporarily Unavailable</h1>

| <hr> alb

| </body>

| </html>

| HTTPOptions:

| HTTP/1.1 503 Service Temporarily Unavailable

| Date: Mon, 02 Feb 2026 12:03:36 GMT

| Content-Type: text/html

| Content-Length: 204

| Connection: close

| Via: HTTP/1.0 SLB.65

| <html>

| <head><title>503 Service Temporarily Unavailable</title></head>

| <body bgcolor="white">

| <h1>503 Service Temporarily Unavailable</h1>

| <hr> alb

| </body>

| </html>

| RTSPRequest:

| <html>

| <head><title>400 Bad Request</title></head>

| <body bgcolor="white">

| <h1>400 Bad Request</h1>

| <hr> alb

| </body>

| </html>

| X11Probe:

| HTTP/1.1 400 Bad Request

| Date: Mon, 02 Feb 2026 12:03:37 GMT

| Content-Type: text/html

| Content-Length: 164

| Connection: close

| <html>

| <head><title>400 Bad Request</title></head>

| <body bgcolor="white">

| <h1>400 Bad Request</h1>

| <hr> alb

| </body>

|_   </html>

443/tcp open ssl/https syn-ack ttl 49

|_http-title: Did not follow redirect to https://www.hoyoverse.com/

|_ssl-date: TLS randomness does not represent time

| ssl-cert: Subject:
commonName=*.hoyoverse.com/organizationName=COGNOSPHERE PTE. LTD./countryName=SG

| Subject Alternative Name: DNS:*.hoyoverse.com, DNS:hoyoverse.com

| Not valid before: 2025-09-29T00:00:00

|_Not valid after: 2026-10-23T23:59:59

| tls-nextprotoneg:

| h2

|_ http/1.1

| tls-alpn:

|_ http/1.1

| fingerprint-strings:

| FourOhFourRequest:

| HTTP/1.1 503 Service Temporarily Unavailable

| Date: Mon, 02 Feb 2026 12:03:45 GMT

| Content-Type: text/html

| Content-Length: 204

| Connection: close

| Via: HTTP/1.0 SLB.253

| <html>

| <head><title>503 Service Temporarily Unavailable</title></head>

| <body bgcolor="white">

| <h1>503 Service Temporarily Unavailable</h1>

| <hr> alb

| </body>

| </html>

| GetRequest:

| HTTP/1.1 503 Service Temporarily Unavailable

| Date: Mon, 02 Feb 2026 12:03:42 GMT

| Content-Type: text/html

| Content-Length: 204

| Connection: close

| Via: HTTP/1.0 SLB.77

| <html>

| <head><title>503 Service Temporarily Unavailable</title></head>

| <body bgcolor="white">

| <h1>503 Service Temporarily Unavailable</h1>

| <hr> alb

| </body>

| </html>

| HTTPOptions:

| HTTP/1.1 503 Service Temporarily Unavailable

| Date: Mon, 02 Feb 2026 12:03:43 GMT

| Content-Type: text/html

| Content-Length: 204

| Connection: close

| Via: HTTP/1.0 SLB.41

| <html>

| <head><title>503 Service Temporarily Unavailable</title></head>

| <body bgcolor="white">

| <h1>503 Service Temporarily Unavailable</h1>

| <hr> alb

| </body>

|_   </html>

2 services unrecognized despite returning data. If you know the service/version, please submit the following fingerprints at https://nmap.org/cgi-bin/submit.cgi?new-service :

==============NEXT SERVICE FINGERPRINT (SUBMIT INDIVIDUALLY)==============

SF-Port80-TCP:V=7.98%I=7%D=2/2%Time=69809297%P=x86_64-apple-darwin21.6.0%r

SF:(GetRequest,178,"HTTP/1\.1\x20503\x20Service\x20Temporarily\x20Unavaila

SF:ble\r\nDate:\x20Mon,\x2002\x20Feb\x202026\x2012:03:35\x20GMT\r\nContent

SF:-Type:\x20text/html\r\nContent-Length:\x20204\r\
nConnection:\x20close\r

SF:\nVia:\x20HTTP/1\.0\x20SLB\.65\r\n\r\n<html>\r\
n<head><title>503\x20Ser

SF:vice\x20Temporarily\x20Unavailable</title></head>\r\
n<body\x20bgcolor=\

SF:"white\">\r\n <h1>503\x20Service\x20Temporarily\
x20Unavailable</

SF:h1> \r\n<hr> alb \r\n</body>\r\
n</html>\r\n")%r(

SF:HTTPOptions,178,"HTTP/1\.1\x20503\x20Service\
x20Temporarily\x20Unavaila

SF:ble\r\nDate:\x20Mon,\x2002\x20Feb\x202026\x2012:03:36\
x20GMT\r\nContent

SF:-Type:\x20text/html\r\nContent-Length:\x20204\r\
nConnection:\x20close\r

SF:\nVia:\x20HTTP/1\.0\x20SLB\.65\r\n\r\n<html>\r\
n<head><title>503\x20Ser

SF:vice\x20Temporarily\x20Unavailable</title></head>\r\
n<body\x20bgcolor=\

SF:"white\">\r\n <h1>503\x20Service\x20Temporarily\
x20Unavailable</

SF:h1> \r\n<hr> alb \r\n</body>\r\
n</html>\r\n")%r(

SF:RTSPRequest,A4,"<html>\r\n<head><title>400\x20Bad\
x20Request</title></h

SF:ead>\r\n<body\x20bgcolor=\"white\">\r\n <h1>400\
x20Bad\x20Reques

SF:t</h1> \r\n<hr> alb \r\n</body>\
r\n</html>\r\n")

SF:%r(X11Probe,126,"HTTP/1\.1\x20400\x20Bad\x20Request\r\
nDate:\x20Mon,\x2

SF:002\x20Feb\x202026\x2012:03:37\x20GMT\r\nContent-Type:\
x20text/html\r\n

SF:Content-Length:\x20164\r\nConnection:\x20close\r\n\r\
n<html>\r\n<head><

SF:title>400\x20Bad\x20Request</title></head>\r\n<body\
x20bgcolor=\"white\

SF:">\r\n <h1>400\x20Bad\x20Request</h1></
center>\r\n<hr> al

SF:b \r\n</body>\r\n</html>\r\n")
%r(FourOhFourRequest,178,"HTTP/1\

SF:.1\x20503\x20Service\x20Temporarily\x20Unavailable\r\
nDate:\x20Mon,\x20

SF:02\x20Feb\x202026\x2012:03:37\x20GMT\r\nContent-Type:\
x20text/html\r\nC

SF:ontent-Length:\x20204\r\nConnection:\x20close\r\nVia:\
x20HTTP/1\.0\x20S

SF:LB\.44\r\n\r\n<html>\r\n<head><title>503\x20Service\
x20Temporarily\x20U

SF:navailable</title></head>\r\n<body\x20bgcolor=\"white\">\r\
n <h1

SF:>503\x20Service\x20Temporarily\x20Unavailable</h1></
center>\r\n<hr><cen

SF:ter>alb \r\n</body>\r\n</html>\r\n");

==============NEXT SERVICE FINGERPRINT (SUBMIT
INDIVIDUALLY)==============

SF-Port443-TCP:V=7.98%T=SSL%I=7%D=2/2%Time=6980929E
%P=x86_64-apple-darwin2

SF:1.6.0%r(GetRequest,178,"HTTP/1\.1\x20503\x20Service\
x20Temporarily\x20U

SF:navailable\r\nDate:\x20Mon,\x2002\x20Feb\x202026\
x2012:03:42\x20GMT\r\n

SF:Content-Type:\x20text/html\r\nContent-Length:\x20204\r\
nConnection:\x20

SF:close\r\nVia:\x20HTTP/1\.0\x20SLB\.77\r\n\r\n<html>\r\
n<head><title>503

SF:\x20Service\x20Temporarily\x20Unavailable</title></head>\r\
n<body\x20bg

SF:color=\"white\">\r\n <h1>503\x20Service\
x20Temporarily\x20Unavai

SF:lable</h1> \r\n<hr> alb \r\n</
body>\r\n</html>\r

SF:\n")%r(HTTPOptions,178,"HTTP/1\.1\x20503\x20Service\
x20Temporarily\x20U

SF:navailable\r\nDate:\x20Mon,\x2002\x20Feb\x202026\
x2012:03:43\x20GMT\r\n

SF:Content-Type:\x20text/html\r\nContent-Length:\x20204\r\

nConnection:\x20

SF:close\r\nVia:\x20HTTP/1\.0\x20SLB\.41\r\n\r\n<html>\r\
n<head><title>503

SF:\x20Service\x20Temporarily\x20Unavailable</title></head>\r\
n<body\x20bg

SF:color=\"white\">\r\n <h1>503\x20Service\
x20Temporarily\x20Unavai

SF:lable</h1> \r\n<hr> alb \r\n</
body>\r\n</html>\r

SF:\n")%r(FourOhFourRequest,179,"HTTP/1\.1\x20503\x20Service\
x20Temporaril

SF:y\x20Unavailable\r\nDate:\x20Mon,\x2002\x20Feb\x202026\
x2012:03:45\x20G

SF:MT\r\nContent-Type:\x20text/html\r\nContent-Length:\x20204\
r\nConnectio

SF:n:\x20close\r\nVia:\x20HTTP/1\.0\x20SLB\.253\r\n\r\n<html>\r\
n<head><ti

SF:tle>503\x20Service\x20Temporarily\x20Unavailable</
title></head>\r\n<bod

SF:y\x20bgcolor=\"white\">\r\n <h1>503\x20Service\
x20Temporarily\x2

SF:0Unavailable</h1> \r\n<hr> alb \
r\n</body>\r\n</

SF:html>\r\n");

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port

OS fingerprint not ideal because: Missing a closed TCP port so results incomplete

No OS matches for host

Network Distance: 18 hops"